

Date: 27/12/2024

To,
Principal Chief Conservator of Forests,
Ministry of Environment, Forest & Climate Change,
Regional Office (West Central Zone),
Ground Floor, East Wing,
“New Secretary Building”
Civil Lines, Nagpur – 440001

Subject: Submission of Half Yearly Post Environmental Clearance Compliance Report - December 2024 Submission

Project: Proposed Residential Project at “Sr. No. 30/1, Village Sus, Tal. Mulshi, Dist. Pune” by M/s. Kundan Mehata Kenjale JV

Reference: EC Identification No. EC23B038MH194687 dated 01/11/2023

Respected Sir,

With reference to above subject, we are herewith submitting the post environmental clearance compliance report - **December 2024 Submission**.
This is for your kind information and consideration.

Thanking You,

Yours Faithfully
For M/s. Kundan Mehata Kenjale JV



Milind Kenjale
Partner
Encl.:



- 1) Project details in MoEF data-sheet – Part I & II
- 2) Six Monthly Compliance Report.

Copy To,

- 1) Sub Regional Officer, Maharashtra Pollution Control Board, Jog Center, Pune – 03
- 2) Member Secretary, Maharashtra Pollution Control Board, Sion, Mumbai – 22.
- 3) Environment Department, Room No. 217, 2nd Floor, Mantralaya, Annexe, Mumbai-32.

Monitoring the Implementation of Environmental Safeguards
Ministry of Environment, Forest & Climate Change
Integrated Regional Office, Nagpur
Monitoring Report

PART-I
DATA SHEET

Sr. No.	Particulars	Details
1.	Project type: River Valley/ Mining/ Industry/ Thermal/ Nuclear/ Others (specify)	Building & Construction Project (8(a)) Category B2
2.	Name of the Project	Proposed Construction Project by M/s. Kundan Mehata Kenjale JV
3.	Clearance letter (s)/ OM No. and date	EC Identification No. EC23B038MH194687 dated 01/11/2023
4.	Location	"Sr. No. 29 & Others, Sr. No. 30 & Others, Village Sus, Tal. Mulshi, Dist. Pune"
	a) District (s)	
	b) State (s)	Maharashtra
	c) Location latitude / longitude	Latitude: 18 ⁰ 33'32.65"N Longitude: 73 ⁰ 45'47.25"E
5.	Address for Correspondence	"Mr. Abhijit Kulkarni"
	a) Address of the Concerned Project Chief Engineer (with Pin code & Telephone / Telex / Fax Numbers)	SR. NO. 107, Village - Baner, Tal - Haveli, Dist. Pune. Contact No. 8308812205 abhijitckulkarni@gmail.com
	b) Address of the Concerned Project Chief Engineer (with Pin code & Telephone / Telex / Fax Numbers)	
6.	Salient features of the Project	Total Plot Area: 14050 Sq. m Total Built up Area: 36511.96 Sq. m Bldg. Structure: Architect Certificate is attached. Water Requirement: Construction Phase: Tanker water Operation Phase: Dry Season (CMD): - 179 Source: - PMC Solid Waste Management: Dry Waste: - 398 Kg/day Wet Waste: - 597 Kg/day Dry waste will be handed over to SWaCH Pune Seva Sahkari Sanstha Ltd. (Govt. Authorized E-waste & Dry

		<p>Waste Recycler)</p> <p>Power Requirement:</p> <ul style="list-style-type: none"> • During Construction Phase (Demand Load): - 71 KW • During Operational Phase (Connected load): - 2726 KW • During Operational Phase (Demand load): - 990 KW • DG Set 125 KVA X 2, 85 KVA X 1 <p>Energy Saving Measures:</p> <ul style="list-style-type: none"> • High energy efficient LED Lamps • Low Loss Transformers • Solar PV, Hot water, Solar Street lights 															
7.	<p>Breakup of the Project Area</p> <p>a) Submergence area: forest & non forest</p>	Not Applicable															
	b) Others	Not Applicable															
8.	<p>Breakup of the project affected population with the enumeration of those losing Houses / Dwelling units only, Agricultural Land & Landless Laborers / Artisans:</p> <p>a) SC, ST/Tribes</p> <p>b) Others</p> <p>(please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures, if a survey is carried out give details & year of survey)</p>	The project is proposed on own land thus there is no displacement of population is proposed.															
9 a)	<p>Financial Details</p> <p>Project cost as originally planned and subsequent revised estimates and the year of price reference</p>	Total Project Cost Projected- Rs. 119 Crores															
b)	<p>Allocation made for environmental management plans with item wise and year wise breakup</p>	<table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Particulars</th> <th>Amount. in Rs. Lakhs)</th> </tr> </thead> <tbody> <tr> <td colspan="3" style="text-align: center;">During Construction Phase</td> </tr> <tr> <td>1.</td> <td>Air Environment, Water Environment, Land Environment, Top Soil Preservation, Socio-economic Environment, Safety Training etc.</td> <td>17</td> </tr> <tr> <td colspan="2">Total</td> <td>17</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Sr. No.	Particulars	Amount. in Rs. Lakhs)	During Construction Phase			1.	Air Environment, Water Environment, Land Environment, Top Soil Preservation, Socio-economic Environment, Safety Training etc.	17	Total		17			
Sr. No.	Particulars	Amount. in Rs. Lakhs)															
During Construction Phase																	
1.	Air Environment, Water Environment, Land Environment, Top Soil Preservation, Socio-economic Environment, Safety Training etc.	17															
Total		17															
c)	<p>Benefit cost ratio/Internal rate of return and the year of</p>	Not applicable															

	assessment	
d)	Whether (c) includes the cost of environmental management as shown in the above	Yes, included
e)	Actual expenditure incurred on the project so far	As per requirement
f)	Actual expenditure incurred on the environmental management plans so far	As per requirement
10	Forest Land Requirement	
a)	The status of approval for diversion of forest land for non-forestry use	Not applicable
b)	The status of clearing felling	Not applicable
c)	The status of compensatory afforestation, if any comments on the viability & sustainability of compensatory afforestation program in the light of actual field experience so far	Not applicable
11	The status of clear felling in non-forest areas (such as submergence area or reservoir, approach roads.), if any with quantitative information required.	Not applicable
12	Status of construction (Actual & /or planned)	Construction Status: - Architect Certificate is attached.
a)	Date of commencement (Actual & / or planned)	As per earlier EC
b)	Date of completion (Actual & /or planned)	Nil
13	Reasons for the delay if the project is yet to start	NA
14	Dates of Site Visits	NA
a)	The dates on which the project was monitored by the Regional Office on previous occasions, if any	Nil
b)	Date of site visits for this monitoring report	Air, Noise, Water sampling were done
15	Details of correspondence with project authorities for obtaining action plans / information on the status of compliance to safeguards other than the routine letters for logistic support for site visit. (The monitoring report may contain the details of all the letters issued so far but the later reports	Nil

	may cover only the letters issued subsequently).	
--	--	--

SPECIFIC CONDITIONS

A, SEAC Conditions

Sr.	Conditions	Compliance
I)	PP to submit details of mechanism envisaged for increasing the capacity of STP and its media.	PP has submitted details of mechanism envisaged for increasing the capacity of STP and its media.
II)	Revised Water NOC be obtained.	PP has obtained Water NOC from Grampanchayat
III)	PP to provide electric charging facility by providing charging points at suitable places.	PP Consented to Condition
IV)	PP to ensure that the water proposed to use for construction should not be drinking water. They can use recycled water or tanker water for proposed construction	PP confirmed that drinking water is not being used for Construction Activity, PP has made agreement with Tanker Water supplier.
V)	The Civil Aviation Clearance is only up to 14th floor. Till a revised Civil Aviation (MoD) NOC is obtained the construction beyond 14 floors will not be permitted.	PP Consented to Condition

B. SEIAA Conditions

Sr.	Conditions	Compliance
I)	PP has provided mandatory RG area of 1024 Sq. M. on mother earth without any construction. Local planning authority to ensure the compliance of the same.	PP has consented to Condition
II)	PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types and strength to increase the water permeable area as well as to allow effective fire tender movement.	PP has consented to Condition. PP will provide grass pavers of suitable types and strength to increase the water permeable area.
III)	PP to achieve at least 5% of total energy requirement from renewable sources.	PP has consented to Condition As informed design is as per ECBC
IV)	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F.No.22-34/2018-IA.III dt.04.01.2019.	PP has consented to Condition
V)	SEIAA decided to grant EC for- FSI: 14899.45 m ² , Non-FSI: 21612.51 m ² and Total BUA: 36511.96 m ² (Plan approval no- DP/BMU/Mou. Sus/Tal.Mulshi/S. No. 29/1 & Others/CR1094/21-22, dated 27.052022).	PP has consented to Condition

GENERAL CONDITIONS

Construction Phase:		
I.	The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.	PP has consented to Condition
II.	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority	PP has consented to Condition.
III.	Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.	No Hazardous waste material will be generated since it is a construction activity.
IV.	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.	PP has consented to Condition.
V.	Arrangement shall be made that waste water and storm water do not get mixed	PP has consented to Condition. PP will made arrangement for the waste water and storm water do not get mixed.
VI.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred	PP has consented to Condition.
VII.	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.	PP has consented to Condition.
VIII.	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.	PP has consented to Condition.
IX.	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor-based control	PP has consented to Condition. This will be installed in later stages of

		construction phase.
X.	The Energy Conservation Building code shall be strictly adhered to.	PP has consented to Condition. PP will strictly adhere the stipulated condition.
XI.	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.	PP has consented to Condition.
XII.	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.	PP has consented to Condition. Excavated debris & construction waste will be reused on site for backfilling and plot leveling.
XIII.	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	PP has consented to Condition.
XIV.	PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environmental Clearance.	PP has consented to Condition.
XV.	The diesel generator sets to be used during construction phase should be low Sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards	PP has consented to Condition. CPCB approved enclosed type D.G. sets will be used in case of power failure. The location and height of the DG set will be installed as per the Central Pollution Control Board (CPCB).
XVI.	PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environmental Clearance.	PP has consented to Condition. Project proponent has been strictly adhering to all the stipulated conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975.
XVII.	Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highway Department. The vehicle shall be adequately	PP has consented to Condition.

	covered to avoid spillage / leakage.	
XVIII.	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB	PP has consented to Condition.
XIX.	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low Sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board	PP has consented to Condition. CPCB approved enclosed type D.G. sets will be used in case of power failure. The Stack height of DG set will be installed as per the Central Pollution Control Board (CPCB).
XX.	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell / designated person.	Complied. Project proponent has made Separate Environment Cell for regular supervision

General EC Conditions

Sr.	Conditions	Compliance
I)	PP has to abide by the conditions stipulated by SEAC& SEIAA.	PP has consented to Condition. Agreed to Comply with.
II)	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.	PP has obtained Consent to Establish from MPCB. Attached with this report.
III)	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.	PP has consented to Condition.
IV)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	PP has consented to Condition.
V)	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	PP has consented to Condition.
VI)	In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.	Noted & agreed to comply with.
VII)	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including Clearance from the standing committee of the National Board for Wild life as if applicable & this environment	Noted & agreed to comply with.

Sr.	Conditions	Compliance
	clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.	
VIII)	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.	Noted & agreed to comply with.
IX)	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.	PP has consented to Condition.
X)	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.	PP has consented to Condition.
XI)	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.	PP has consented to Condition.
XII)	Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification,2006, and amendments by MoEF&CC Notification dated 29th April, 2015.	PP has consented to Condition.
XIII)	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.	PP has consented to Condition.
XIV)	Any appeal against this Environment clearance shall lie with the National Green.	PP has consented to Condition.

Environment Management Plan

INTRODUCTION

The Environmental Management Plan is a site-specific plan developed in order to ensure that the project is implemented in an environmentally sustainable manner, where all the contractors & sub-contractors (including consultants) understand the potential environmental risks arising from the proposed expansion project & take appropriate actions.

EMP also ensures that the project implementation is carried out in accordance with the design & by taking appropriate mitigation actions to reduce adverse environmental impact during its life cycle.

The Potential environmental Impact that needs to be regulated is mentioned below

- Air pollution due to the emission of Particulate Matter & gaseous pollutants.
- Noise pollution due to various noise generating equipment as well as vehicular movement.
- Wastewater generation from sanitary/domestic activities & Solid waste disposal.

To ensure better environment in & around the project site as well as for the neighboring population, an effective EMP is developed separately for construction & operations phase.

During Construction Phase

The proposed project will have construction activities. Pollution control during construction is of considerable importance & it is necessary to consider the potential of environmental pollution during this phase.

The following measures will be adopted during construction phase:

- Construction material will be stored in the covered go-down or enclosed spaces to prevent the wind blow fugitive emissions.
- Truck carrying soil, sand stone and dust will be covered to avoid spilling & fugitive emissions.
- Regular water sprinkling at vulnerable areas of construction sites will be done to control fugitive dust during material handling & hauling activities in dry seasons.
- During construction activity, labor may be employed from outside. We will be providing drinking water facility, mobile toilets for the workers.
- Noise control measures will be adopted at appropriate stages, the most effective being control at the source itself.
- The onsite workers working in the noisy area will adopt noise protection devices like ear plugs/muffs.
- Geo membrane fabric will be used around the scaffolding to minimize dust dispersion during construction activity.

Environment Management Plan

During Operation Phase

Environment monitoring cell will be developed for environmental monitoring, analysis & control of all possible sources due to the proposed project. The responsibility of the cell will be to follow the pollution control measures stringently at proposed project site through a regular monitoring of various environmental parameters & to implement environment management plan effectively.

Land Environment

During Construction Phase

Waste generated from construction activity includes construction debris, The following section discusses management for each type of waste.

Construction debris:

Construction debris is bulky & heavy, reutilization & re-cycling is an important strategy for management of such waste. Recycled aggregate will be used for filler application, and as a sub-base for road construction. The mixed debris with high gypsum will be given to the recyclers, as they are highly susceptible to contamination so plaster cannot be used for filling.

- Recyclable waste (paper waste, plastic and metal scrap steel / glasses) will be sold to recyclers.
- Bricks, metal, chips, cut tiles will be used for internal paving.
- Substratum used for back filling and for making pathways
- Remaining will be disposed to authorized waste disposal site.
- Recyclable waste will be disposed off through recyclers.

During Operation Phase

Solid waste management will be to encourage the four ways of waste i.e. Waste Reduction, Reuse, Recycling & Recovery (material & energy). This will result lesser quantity will be landfill. Environment Management plan basically focuses on 3 major components of the waste management system i.e. collection & transportation, treatment or disposal.

Biodegradable waste will be 636 kg/day which will be treated in Mechanical Composting Unit. The non-biodegradable (Dry Waste) waste will be handed over to SWACH.

Environment Management Plan

Air Environment

During Construction Phase

There will be daily sprinkling of water on road which will reduce the fugitive dust emission. PUC will be compulsory for all the vehicles that will be parked at the project site. The construction machinery will be kept in secured place and the use of low sulphur fuel will help in reducing the adverse impact.

Following measures will be carried out for further environmental improvements:

- Environment management cell will be developed for the regular check-up & efficient maintenance of all the pollution control arrangements.
- To prevent fugitive emissions at solid handling areas conveyors, elevators, silos etc. All other transfer points proper care will be taken to minimize the exit of particulates.
- A greenbelt around the project site & plantation within the plant premises especially around the possible sources of fugitive emissions is recommended to further reduce the dust emission to maintain a clean & healthy environment.

Operation Phase

To mitigate the impact of the pollutants from vehicular traffic during the operational phase of the site, the following measures are recommended for the implementation:

Vehicle Emission Controls

Adequate informatory signage/speed control devices will be put up within the premises near entry/exit gates to regulate & control the speed of outgoing/incoming traffic. Regular maintenance of the vehicles will be mandatory. PUC will be compulsory for all the vehicles being parked in the building premises.

Landscape Development

Increasing vegetation in the form of landscape is one of the preferred methods to mitigate air pollution. Plants generate oxygen, it serves as a sink for pollutants, & they reduce the flow of dust & noise pollution.

Noise Environment

Construction Phase

To mitigate the impact of noise from construction equipment, the following measures will be proposed

- Noise prone activities will be restricted to the extent possible during night.
- Screening or fencing of the construction site will be done with proper height of fence to prevent nuisance to neighboring habitation.
- Workers employed in high noise areas will be rotated.
- Earplug/Ear mug will be provided to the workers & other hearing protective wear will be provided to those working very close to the noise generating machinery.

Environment Management Plan

Water Environment

Construction Phase

Following measures will be carried out for further environmental improvements.

- Necessary care will be taken to avoid soil erosion.
- Construction activity does not generate any oil/grease.
- Construction activities generate disturbed soil, concrete fines, oils and other wastes. On-site collection and settling of storm water, prohibition of equipment wash downs, and prevention of soil loss and toxic releases from the construction site are necessary to minimize water pollution.

Operation Phase

Water Conservation measures have been taken including all possible potential for re-use & recycling of water. These could be in the form of the following:

Minimizing water consumption

Water consumption will be minimized by a combination of water saving devices and other domestic water conservation measures. Furthermore, to ensure ongoing water conservation, an awareness programme will be introduced.

Usage:

- We will use water efficient, low flow plumbing fixtures. The water efficient plumbing fixtures use less water with no marked reduction in quality and service.
- Promoting reuse of water after treatment & development of closed loop systems
- To promote reuse and development of closed loop system for water, segregation of two schemes namely;
 - Wastewater Treatment Scheme
 - Storm Water Management scheme have been suggested.

Wastewater Treatment Scheme

The sewage generated from the proposed project will be 286.2 m³/day. Phytorid technology will be used for sewage treatment. Treated sewage will be used for flushing & gardening, total STP capacity will be 300 m³/day.

Environment Management Plan

BIOLOGICAL ENVIRONMENT

Construction Phase

The construction activities will be carried out only during the day time by minimizing the magnitude of the impact. Also water sprinkling will be carried out on the construction site.

Operation Phase

The project is commercial in nature & will have minimal emissions, for which efforts will be taken to minimize the impact. Extensive plantation & landscaping is done to mitigate any impact during this phase.

Plantation & Landscaping

Selection of the plant species has been done on the basis of their adaptability to the environment. During development of green belt within the project area, emphasis has been given to selection of plant species like nitrogen fixing species, species of ornamental values, species of very fast growth with good canopy cover etc. Total 198 trees will be planted at site.

Environment Monitoring Cell

We will form the environmental management cell which will be headed by an Environment Manager. He will be supported by adequate number of personnel having sufficient educational and professional qualification and experience to discharge responsibilities related to environmental management including; statutory compliance, pollution prevention, environmental monitoring, preventive maintenance of pollution control equipment and green belt development. The head of the cell will directly report to the top management. This cell will be a nodal agency to coordinate and provide necessary services on environmental issues during construction and operation of the project. This department will interact with MPCB, MoEF, CPCB and Other environment regulatory agencies. The cell will be effective until handing over of the project to the Environmental Management Committee.

Environmental Management cell will implement and review the compliance of the stipulated conditions specified in Environmental Clearance and Consent for Establish. Environmental cell will submit six monthly compliance report regarding status of implementation of each stipulated conditions to MoEF. The cell will be responsible to obtain consent of operate under water Act and Air from MPCB. On getting Consent to operate, the project will be handed over to Environmental Management Committee. The project proponent will provide technical knowhow, legal and technical training to Environmental Management Committee personnel for continuing the EMP.

Environment Management Plan

Environmental Management Audits

The management audits are to be determining whether the activities are conforming to the environmental management systems & effective in implanting the environmental policy. They may be internal or external, but carried out impartially & effectively by a person properly trained for it. Abroad knowledge of the environmental process & expertise in relevant disciplines is also required. An appropriate audit programs & protocols will be established.

Organization & Environment Management Cell

S. No	Level	Designation	Purpose
1.	Honorary	Director/Managing Committee	Policy
2.	Manager	Environment Scientist/Chemist	Job(*)
3.	Executive	Supervisor, contractor, Engineers	Implement
4.	Third Party	Environmental sampling, analysis will be done through external agency approved by MoEF/MPCB.	Monitoring, Testing

Responsibilities of Environment monitoring cell

Attribute	Construction Phase	Operation Phase
Water Regime	<ul style="list-style-type: none"> Install water meters, take reading routinely, & record in the register. Install necessary mobile toilet for construction workers & staff etc. to look after its operational & maintenance. Keep a daily watch on sanitation/drains & good housekeeping. Examine proper management of channelization of water to avoid water logging at site. Oil spill prevention measures to be taken to avoid pollution of water body. Material storage areas to be kept far away from water body 	<ul style="list-style-type: none"> Install waster meters & take readings routinely. Monitoring of PH, COD, BOD& TSS of the units to ensure good treatment of wastewater into sewage treatment. Ensure the network of connection to rain water harvesting units. Monitoring of water from recharge pits for specified parameters.
Air	<ul style="list-style-type: none"> Monitoring of Air Quality through MoEF approved lab. Ensure water sprinkling for dust suppression. Ensure the use of covering sheets, on the material being transported incoming or outgoing or stored. Use as backup power DG sets to be procured from renowned suppliers with acoustic enclosures. Examine proper traffic arrangements for construction vehicles including instance of their PUC. 	<ul style="list-style-type: none"> Prepare a schedule & implement proper maintenance of DG sets for use as back up power DG sets to be procured from renowned suppliers with acoustic enclosures & specification as per CPCB norms for its stack height. Trees will be planted with special care for controlling dust & noise &

Environment Management Plan

	<ul style="list-style-type: none"> • Prohibition of open burning of solid waste. • Provision of mask & other personnel gazettes to workers with regular health check-up programme. 	<p>placing them very near to the sources of nuisance from air & noise point of view.</p> <ul style="list-style-type: none"> • Monitoring of Air quality through MoEF approved lab. • DG Set Stack monitoring through MoEF approved lab.
Solid Waste	<ul style="list-style-type: none"> • Provide training to sub-contractor & worker for good sanitation & collecting their individual waste separate it as dry & wet in respective color coded dustbins provided. • Isolated storage of construction raw material such as paint varnishes etc. • Segregated garbage will be handed over to authorized agency. 	<ul style="list-style-type: none"> • Ensure collection of solid waste everyday & keeping the record of this qty& documents. • Segregation of garbage into degradable & non biodegradable garbage sent it to the dedicated OWC, carefully without spillage.
Soil & Greening	<ul style="list-style-type: none"> • Provision of separate place for storage of top soil to be used in due course for plantation. • Avoid excavation during high windy day & heavy monsoon day. • Excess excavation will be used within the premises. • Ensuring that no trees cutting. • Plant trees along the boundary of project area. 	<ul style="list-style-type: none"> • Proper landscaping is designed by the landscape architect that are of native species, having good canopy capable of barricading noise, wind borne dust. • Ensure maintenance of lawn & tree plantation. • Provision of work force, tools & watering arrangements. • The trimming to be conducted routinely & especially at advent of monsoon. • To keep a watch on storm water drainage especially on adequacy of capacity.
Noise	<ul style="list-style-type: none"> • To prepare & get approved a regular Noise monitoring schedule & stations. • Provision of ear plugs for constructions labor & staff insist its use. • There will be no noisy work in night shift. • Ensure the provision of barricades along periphery of the site. • To obtain guidance from the suppliers & maintain acoustic enclosures for DG sets 	<ul style="list-style-type: none"> • To prepare & get approved a regular Noise monitoring schedule. • To obtain guidance from the suppliers & maintain acoustic enclosure for DG sets. • To ensure smooth flow make provision of proper parking arrangements, traffic management.



TEST REPORT

Report No:	EFEL/PRO/2024/09/1151	Issue Date	18/09/2024
Name and Address of Customer	"Sr. No. 30/1, Village Sus, Tal. Mulshi, Dist. Pune" by M/s. Kundan Mehata Kenjale JV		
Sample Name	Air	Sample Description	Ambient Air
Date of Sampling	11/09/2024	Sampling duration	1440 Min
Sampling Location	Near Main Gate	Sampling Procedure	CPCB Guideline for measurement of Ambient Air pollutants Volume I
Dry bulb temperature	26°C	Wet bulb temperature	24°C
Relative Humidity	82% RH	Sampling done by	Client
Start Date of Analysis	12/09/2024	End Date of Analysis	18/09/2024

Results

Sr. No.	Parameters	Results	Unit(s)	Specifications (NAAQ Standards)	Methods
1	Sulphur Dioxide(SO ₂)	13.5	µg/m ³	≤ 80	IS 5182 (Part 2)
2	Oxides of Nitrogen(NO ₂)	20.1	µg/m ³	≤ 80	IS 5182 (Part 6)
3	Particulate Matter PM ₁₀	48.3	µg/m ³	≤ 100	CPCB 6.8 for measurement of Ambient Air pollutants Volume I
4	Particulate Matter PM _{2.5}	24.2	µg/m ³	≤ 60	
5	Carbon Monoxide (CO)	0.61	mg/m ³	≤ 04	
6	Ozone(O ₃)	<20	µg/m ³	≤ 180	
7	Lead (Pb)	BDL	µg/m ³	≤ 01	
8	Arsenic(As)	BDL	ng/m ³	≤ 06	
9	Nickel(Ni)	BDL	ng/m ³	≤ 20	
10	Ammonia(NH ₃)	<5	µg/m ³	≤ 400	
11	Benzo(a)Pyrene(BaP)	BDL	ng/m ³	≤ 1.0	
12	Benzene(C ₆ H ₆)	BDL	µg/m ³	≤ 05	

Remark- All above results are within National Ambient Air Quality standards.
BDL – Below Detectable Limit.



Shelar
Authorized Signatory
Mr. Mahesh Shelar
(Managing Director)



TEST REPORT

Report No:	EFEL/PRO/2024/09/1152	Issue Date	18/09/2024
Name and Address of Customer	"Sr. No. 30/1, Village Sus, Tal. Mulshi, Dist. Pune" by M/s. Kundan Mehata Kenjale JV		
Sample Name	Drinking Water	Sample Description	Drinking water
Date of Sampling	11/09/2024	Sampling duration	--
Sampling Location	Labour Camp Cooler	Sampling Procedure	APHA 1060
Sampling done by	Client	Sample Quantity	1Ltr
Start Date of Analysis	12/09/2024	End Date of Analysis	18/09/2024

Results

Sr. No.	Parameters	Results	Unit(s)	Specifications (IS 10500)	Methods
1	pH at 25°C	7.01	--	6.5 to 8.5	APHA 4500 H+ A, 23 rd Ed.2017
2	Total Dissolved Solids TDS	39.5	mg/L	<500	APHA 2540 C, 23 rd Ed.2017
3	Total Hardness (as CaCO ₃)	17.2	mg/L	<200	IS 3025 (Part 21)
4	Total Alkalinity	6.21	mg/L	<200	IS 3025 (Part 23)
5	Sulphate (as SO ₄)	3.19	mg/L	<200	IS 3025 (Part 24)
6	Nitrate(as NO ₃)	0.12	mg/L	<45	APHA 4500 NO3, 23 rd Ed.2017
7	Fluoride (as F)	<0.05	mg/L	<1.0	APHA 4500 F, 23 rd Ed.2017
8	Residual Free Chlorine	<0.05	mg/L	<0.2	APHA 4500 Cl, 23 rd Ed.2017
9	Chloride (as Cl)	12.1	mg/L	<250	APHA 4500 Cl-, 23 rd Ed.2017
10	Calcium (as Ca)	2.87	mg/L	<75	IS 3025 (Part 40)
11	Magnesium (as Mg)	0.92	mg/L	<30	IS 3025 (Part 46)
12	Iron (as Fe)	<0.05	mg/L	<0.3	APHA 3111, 23 rd Ed.2017
13	Total Coliform	Absent	MPN/100ml	<2	IS 1622:1981
14	E.coli.	Absent	MPN/100m	<2	IS 1622:1981

Remark(s):

- The above water sample is Comply with required limit as per 10500:2012.
- For Total Coliform & E.coli. <2 can be consider as Zero [Refer IS:1622 (R.A.1996), Table No.-4].



Authorized Signatory
Mr. Mahesh Shelar
(Managing Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Registered Address: Flat No. A-5, Balaji palace, Kharadi Road,
Chandan Nagar, Tal. Haveli, Dist. Pune - 411014.

Certifications: ISO 9001 : 2015
• ISO 14001: 2015 • ISO 48001 : 2018



TEST REPORT

Report No:	EFEL/PRO/2024/09/1153	Issue Date	11/09/2024
Name and Address of Customer	"Sr. No. 30/1, Village Sus, Tal. Mulshi, Dist. Pune" by M/s. Kundan Mehata Kenjale JV		
Sample Name	Noise	Sample Description	Ambient Noise
Date of Sampling	11/09/2024	Sampling duration	Spot Time
Sampling done by	Client	Sampling Location	Near Main Gate

Noise Monitoring Report

Timing	Result dB(A)	Timing	Result dB(A)	Unit	CPCB Standards dB(A)
06.00	53.2	18.00	49.6	dB(A)	55/45
07.00	50.2	19.00	42.4	dB(A)	
08.00	53.8	20.00	41.4	dB(A)	
09.00	52.4	21.00	42.5	dB(A)	
10.00	53.6	22.00	44.1	dB(A)	
11.00	51.1	23.00	43.6	dB(A)	
12.00	51.4	24.00	43.1	dB(A)	
13.00	51.9	01.00	41.1	dB(A)	
14.00	52.7	02.00	41.5	dB(A)	
15.00	49.3	03.00	40.7	dB(A)	
16.00	50.9	04.00	39.9	dB(A)	
17.00	52.3	05.00	41.4	dB(A)	
Day Time Leq	52.2				
Night Time Leq	42.1				

Remark-

- All above Noise level results are within Central Pollution Control Board Standards limit.
- Day/Night -55/45 dB.




Authorized Signatory
Mr. Mahesh Shelar
(Managing Director)



TEST REPORT

Report No:	EFEL/PRO/2024/09/1154	Issue Date	18/09/2024
Name and Address of Customer	"Sr. No. 30/1, Village Sus, Tal. Mulshi, Dist. Pune" by M/s. Kundan Mehata Kenjale JV		
Sample Name	Waste Water	Sample Description	STP Outlet
Date of Sampling	11/09/2024	Sampling duration	--
Sampling Location	--	Sampling Procedure	APHA 1060
Sampling done by	Client	Sample Quantity	2 L
Start Date of Analysis	12/09/2024	End Date of Analysis	18/09/2024

Results

Sr. No.	Parameters	Results	Unit(s)	MPCB Limit	Methods
1	pH	7.17	--	5.5-9.0	APHA 4500 H+ A, 23 rd Ed. 2017
2	Total Suspended Solids TSS	11.0	mg/L	20	APHA 2540 D, 23 rd Ed. 2017
3	Total Dissolved Solids TDS	402.0	mg/L	2100	APHA 2540 C, 23 rd Ed. 2017
4	Biochemical Oxygen Demand BOD at 27°C for 3 days	6.1	mg/L	10	IS 3025 (Part 44)
5	Chemical Oxygen Demand COD	30.8	mg/L	50	IS 3025 (Part 58)

Remark-All Parameters are within MPCB Limits.



Authorized Signatory
Mr. Mahesh Shelar
(Managing Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Registered Address: Flat No. A-5, Balaji palace, Kharadi Road,
Chandan Nagar, Tal. Haveli, Dist. Pune - 411014.

Certifications: ISO 9001 : 2015
• ISO 14001: 2015 • ISO 48001 : 2018

Date: 30/12/2024



JAY AERAM
& ASSOCIATES
ARCHITECTS & PLANNERS

TO WHOM SO EVER IT MAY CONCERN

Sub: Built up area completion statement of proposed Residential cum Commercial project FRESHIA, situated at Survey No.

29/1&2(P)/30/1(P)/32/1&2/A/1, 29/1&2(P)/30/1(P)/32/1&2/A/2,
29/1&2(P)/30/1(P)/32/1&2/A/3, 29/1&2(P)/30/1(P)/32/1&2/A/4,
29/1&2(P)/30/1(P)/32/1&2/A/5, Village: Sus, Tal: Mulshi, Dist: Pune.

Dear Sir,

As the architect of the above-mentioned project, we hereby give an undertaking regarding the construction works carried out till date for the project is as per the earlier Environmental Clearance vide letter no.**EC23BO38MH194687** dated 01/11/2023.

At present, PP has constructed as per following on site -

FSI 10073.91 Sq.m
Non FSI 11434.44 Sq.m
Total 21508.35 Sq.m

The building wise already constructed BUA is tabulated as below:

Bldg. No. & Configurati on as per EC	Floors constructed as on date	Constructed Areas		
		FSI Area (Sq. m)	Non FSI Area (Sq. m)	Total BUA (Sq. m)
A	2P+11	4638.95	5017.02	9655.97
B	2P+14	5434.96	5519.81	10954.77
Services & Club House	G+1	-----	897.61	897.61
Total		10073.91	11434.44	21508.35

Yours Faithfully,

JAY AERAM

(ARCHITECT)

(License No.CA/93-15811)



SITE PHOTOGRAPHS - Kundan Mehata Kenjale JV - Freshia, SUS



ENVIRONMENTAL
CLEARANCE



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)

To,

The Partner
KUNDAN MEHTA KENJALE JOINT VENTURE
22, Parvati Gaon , Pune -411009

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/426926/2023 dated 25 Apr 2023. The particulars of the environmental clearance granted to the project are as below.

- | | |
|--|--|
| 1. EC Identification No. | EC23B038MH194687 |
| 2. File No. | SIA/MH/INFRA2/426926/2023 |
| 3. Project Type | Expansion |
| 4. Category | B |
| 5. Project/Activity including Schedule No. | 8(a) Building and Construction projects |
| 6. Name of Project | Proposed Project by M/s Kundan Mehta Kenjale JV at Sus, Pune |
| 7. Name of Company/Organization | KUNDAN MEHTA KENJALE JOINT VENTURE |
| 8. Location of Project | MAHARASHTRA |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 01/11/2023

(e-signed)
Pravin C. Darade , I.A.S.
Member Secretary
SEIAA - (MAHARASHTRA)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/426926/2023
Environment & Climate
Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s. Kundan Mehta Kenjale JV,
S. no 29/1&2(P)/30/1(P)/32/1&2/A/1,
29/1&2(P)/30/1(P)/32/1&2/A/2,
29/1&2(P)/30/1(P)/32/1&2/A/3,
29/1&2(P)/30/1(P)/32/1&2/A/4,
29/1&2(P)/30/1(P)/32/1&2/A/5.
Village- Sus. Tal. Mulshi, Dist. Pune

Subject : Environmental Clearance for Proposed Project at S. no 29/1&2(P)/30/1(P)/32/1&2/A/1, 29/1 & 2(P) /30 /1 (P) /32 /1&2 /A/2, 29/1&2(P)/30/1(P)/32/1&2/A/3,29/1&2(P)/30/1(P)/32/1&2/A/4,29/1&2(P)/30/1(P)/32/1&2/A/5.Village- Sus. Tal. Mulshi, Dist. Pune by M/s. Kundan Mehta Kenjale JV

Reference : Application no. SIA/MH/INFRA2/426926/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 175th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 266th (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 21st September, 2023.

2. Brief Information of the project submitted by you is as below:-

1.	Proposal Number	SIA/MH/INFRA2/426926/2023	
2.	Name of Project	Proposed Project by M/s. Kundan Mehta Kenjale JV at Sus. Pune	
3.	Project category	Schedule 8(a) Category B2	
4.	Type of Institution	Private	
5.	Project Proponent	Name	Mr. Milind Kenjale, M/s. Kundan Mehta Kenjale IV
		Regd. Office address	22, Parvati Gaon, Pune 411009
		Contact number	9822032562
		e-mail	mkenjale@gmail.com
	Consultant	Cognizance Research India Private Limited NABET/EIA/1922/SA0186 cripl.ec.maharashtra@gmail.com	
7.	Applied for	Expansion in EC	

8.	Details of previous EC	Previously Obtained EC Vide number. SEAC.III-2014/C.R.100/TC-3dated 26th August 2016 with BUA 25816.00 sqm Construction Completed for building A(2P+ 11 Floors) and B(2P+14 Floors).				
9.	Location of the project	29/1&2(P)/30/1(P)/32/1&2/A/1, 29/1&2(P)/30/1(P)/32/1&2/A/2, 29/1&2(P)/30/1(P)/32/1&2/A/3, 29/1&2(P)/30/1(P)/32/1&2/A/4, 29/1&2(P)/30/1(P)/32/1&2/A/5. Village- Sus. Tal. Mulshi, Dist. Pune.				
10.	Latitude and Longitude	Latitude-18°33'32.65"N, Longitude-73°45'47.25"E				
11.	Total Plot Area (m2)	14050				
12.	Deductions (m2)	2003				
13.	Net Plot area (m2)	10239.95				
14.	Proposed FSI area (m2)	30665.49				
15.	Proposed Non-FSI area (m2)	21612.51				
16.	Proposed TBUA (m2)	52278				
17.	TBUA (m2) approved by Planning Authority till date	As per IOD				
19.	Total Project Cost (Rs.)	Rs.119 Crore				
20.	CER as per MoEF & CC circular dated 01/05/2018	Activity	Location	Cost (Rs.)	Duration	
		CER as per prevailing OM				
21.	Details of Building Configuration : <Please use following legends: Floor = F , Parking = Pk, Podium = Po, Stilt =St, Lower Ground = LG, Upper Ground = UG, Basement = B, Shops = Sh>				Reason for Modification / Change	
	Building Configuration as per Previous EC		Proposed Configuration		Construction Completed for building A and B, Construction initiated for building C as per EC.	
	Buildin g Name	Configuration	Buildin g Name	Configuration		Height (m)
	Wing A	2P+ 11 Floors	Wing A	2P+ 11 Floors		34.2
	Wing B	2P+14 Floors	Wing B	2P+14 Floors		42.75
	Wing C	B + 2P + 4 Floors	Wing C	B+ Gr + Po 1 + Po2 + 20Floors		65.55
Wing D	P + 3 Floors					
22.	Total number of tenements	398 Nos. Of Residential Tenements				
23.	Water Budget	Dry Season (CMD)		Wet Season (CMD)		
		Fresh Water	179.10	Fresh Water	179.10	

		Recycled	96.28	Recycled	89.55
		Swimming Pool	0.00	Swimming Pool	0.00
		Flushing	89.55	Flushing	89.55
		Total	275.38	Total	268.65
		Wastewater generation	242.01	Wastewater generation	242.01
24.	Water Storage Capacity for Firefighting/ UGT	Fire UGT- As per NOC			
25.	Source of water	PMRDA/Gram panchayat			
26.	Rainwater Harvesting (RWH)	Level of the Ground water table	Post monsoon: 6 - 8 M BGL Pre monsoon: 11 - 12 M BGL		
		Size and no of RWH tank(s) and Quantity	NA		
		Quantity and size of recharge pits	4 Nos of Size 1.5m x 1.5m x 1.5m		
		Details of UGT tanks if any	Domestic	270	
			Flushing	100	
Fire	As per NOC				
27.	Sewage and Wastewater	Sewage generation in CMD	242.01		
		STP technology	MBBR		
		Capacity of STP (CMD)	260		
28.	Solid Waste Management during Construction Phase	Type	Quantity (kg/d)	Treatment / disposal	
		Dry waste	As per NBC		Through authorized agency
		Wet waste	As per NBC		Through authorized agency
		Construction waste	As per C & D rules		Through authorized agency
29.	Solid Waste Management during Operation Phase	Type	Quantity (kg/d)	Treatment / disposal	
		Dry waste	398		Handed over to Authorized Agency
		Wet waste	597		In-situ Composting
		Hazardous waste	Negligible		Negligible
		Biomedical waste	N.A.		N.A.
		E-Waste	2.7		Handed over to Authorized Dismantler/Recycler
STP Sludge (dry)	22.50		In-situ Composting		
30.	Green Belt Development	Total RG area (m2)	1204.70		
		Number of trees required	128 Nos		
31.	Power requirement	Source of power supply	MSEDCL		
		During Construction Phase (Demand Load)	71kW		
		During Operation phase (Connected load)	2726 kW		
		During Operation phase (Demand load)	990kW		
		Transformer	630 kVA X 2 Nos		

		DG set	125 kVA X 2 Nos, 85 kVA X 1 Nos			
		Fuel used	HSD			
1.	Details of Energy saving	<p>Most of the common area & external lighting are proposed to work on high energy efficient lamps(LED) as specified in bureau of energy efficiency which again results in saving in general consumption</p> <p>Low loss Transformers due to which 6.22% losses are saved against conventional transformer.</p> <p>Power Capacitors are proposed for load power factor correction and to maintain a healthy power situation. This also results in less demand load factor for the project.</p> <p>Solar PV, Hot Water, Solar Street Lights, Energy Efficient Motors are proposed</p>				
32	Environmental Management plan budget during Construction phase	No	Details		Cost per annum (Rs. In Lacs)	
		1	Water for Construction, Labour & Dust Suppression		4.0	
		2	Site Sanitation & Health & Safety PPE Kits		3.0	
		3	Environmental Monitoring		4.0	
		4	Disinfection & Health & Safety		3.0	
		5	Health Check up		3.0	
34.	Environmental Management plan Budget during Operation phase	Component	Details		Capital (Rs. In Lacs)	O&M (Rs. In Lacs/Y)
		Sewage treatment	Wastewater Management		21.50	4.3
		RWH	RWH Pits		10.00	1.00
		Solid Waste	Organic Waste Composting		12.0	4.0
		Green belt development	Tree Plantation		22.00	3.52
		Energy saving	Energy Conservation		15.48	0.77
		Environmental Monitoring	Pollution Control		0.0	6.0
		Disaster Management	Fire & LA		124.30	6.21
		PPE Kits Health & Safety	Biomedical Waste Management		0.0	1.0
35.	Traffic Management	Type	Required as per DCR	Actual Provided	Area per parking (m2)	
		4-Wheeler	120	120	11196.00	
		2-Wheeler	587	587		
36.	Details of Court cases / litigation w.r.t. the project and project location if any					NIL

The Comparative statement is as below-

	As per EC as per dated 26 August 2016	As per new Application	Remarks
Total Plot Area	14050	14050	
Deductions	3810.05	3810.05	
Net Plot Area	10239.95	10239.95	No Change
Open Space Area	1204.7	1204.7	
FSI Area	12472.09	30665.49	
Non FSI Area	13343.91	21612.51	Increase in FSI area by 18193.4 Sqm , Non FSI area by 8268.6 Sqm and BUA by 26462 Sqm due to UDCPR.
Total BUA	25816	52278	
No. of Buildings	4	3	Amenity Building Deleted
Building Configuration	A - 2P + 11 Floors B - 2P + 14 Floors C - B + 2P + 4 Floors D - P + 3 Floors	A - 2P + 11 Floors B - 2P + 14 Floors C - B + Gr + Po1 + Po2 + 20 Floors	No Change. Construction Finished. Completion Obtained Construction Initiated on site. Additional Parking and Residential Floors Proposed No Construction Initiated. Building Deleted
Total Tenements	241	398	Increase in tenements by 157 Nos due to additional FSI
Sewage Generation KLD	146	242.01	Increased in Sewage Generation by 96.01 KLD due to additional tenements.
STP Capacity CMD	150	260	STP Constructed on site Augmented for proposed expansion using fabricated tanks
Wet Waste Generation Kg/day	361.5	597	Wet Waste Generation Increased by 235.5 Kg/day due to additional tenements.
OWC Capacity	400	600	OWC for A and B erected, OWC for building C not yet erected. Proposed OWC of 600 KLD for building C.
Demand Load	517 kW	990 kW	
Connected Load	1395 kW	2726 kW	
Transformer	630 kVA X 1 Nos	630 kVA X 2 Nos	Demand and Connected Load calculated as per additional tenements proposed. Additional Transformer and DG Set capacity proposed
D G Set	125 kVA X 2 Nos.	125 kVA X 2 Nos, 85 kVA X 1 Nos	
Car Parking Required	105	120	Parking as per UDCPR
Scooter Parking Required	356	587	

3. Proposal is an expansion of existing construction project. Project had received earlier Environment Clearance vide SEAC.III-2014/C.R.100/TC-3dated 26th August 2016 with BUA 25816.00 sqm. Proposal has been considered by SEIAA in its 266th (Day-2) meeting held on 21st September, 2023. and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP submit details of mechanism envisaged for increasing the capacity of STP and its media.
2. Revised water NOC be obtained.
3. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
4. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.
5. The Civil Aviation clearance is only up to 14th floor. Till a revised Civil Aviation (Ministry of Defence) NOC is obtained the construction beyond 14 floors will not be permitted.

B. SEIAA Conditions-

1. PP has provided mandatory RG area of 1024 m² on mother earth without any construction i.e.without club house etc. Local planning authority to ensure the compliance of the same.
2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
5. SEIAA after deliberation decided to grant EC for-FSI-14899.45 m², Non FSI-21612.51 m², total BUA-36,511.96 m². (Plan approval No-DP/BMU/Mou.Sus/Tal.Mulshi/Sno 29/1 & others/ CR1094/21-22, dated-27.05.2022) (Restricted as per approval)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.

- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.

- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely;

SPM, RSPM. SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
 - II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
 - III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
 - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
 - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
7. Validity of Environment Clearance: The environmental clearance accorded shall be valid

as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Pravin Darade
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, Pune Municipal Corporation /PMRDA
7. Regional Officer, Maharashtra Pollution Control Board, Pune.



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24044532/4024068/4023516
Website: <http://mpcb.gov.in>
Email: jdwater@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

Infrastructure/RED/L.S.I

No:- Format1.0/JD (WPAE)/UAN No.0000118412/CE-21110 01334

Date: 30-11-2021

To,
M/S KUUNDAN MEHTA KENJALE JV
S.N.29/1,29/2,30/1,31/1,32/2,SUS GAON
Tal: Haveli Dist:Pune



Your Service is Our Duty

Sub: Revalidation of Consent to Establish for Construction of Housing Project under Red Category.

Ref: Consent to Establish granted vide no. Format1.0/BO/RO-HQ/CE/CC-8948 dtd. 12.07.2016.

Your application NO. MPCB-CONSENT-0000115782

For: grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

- The consent is granted for period upto commissioning of the project or co terminus with the validity of Environment Clearance dtd 26.08.2016 whichever is earlier.**
- The capital investment of the project is Rs.58.0 Cr. (As per C.A Certificate submitted by industry).**
- The Revalidation of Consent to Establish is valid for Construction of Housing Project named as M/S KUUNDAN MEHTA KENJALE JV,S.N.29/1,29/2,30/1,31/1,32/2,SUS GAON, Tal: Haveli, Dist: Pune on Total Plot Area of 14550 SqMtrs for construction BUA of 25816.00 SqMtrs as per EC granted dated 26.08.2016 including utilities and services & as per Commencement Certificate issued by local body.**
- Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	NA	NA
2.	Domestic effluent	200	As per Schedule - I	60% should be reused & recycled and remaining should be discharged in municipal sewer

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
S-1	DG SET 200 KVA	1	As per Schedule -II

6. **Conditions under Solid Waste Rules, 2016:**

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Wet garbage	368 Kg/Day	Organics waste Converter with composting facility / Biogas digester with composting facility	USED BY MANURE
2	Dry garbage	245 Kg/Day	-	Segregate and Hand over to Local Body for recycling
3	Sludge	27.7 Kg/Day	-	Segregate and Hand over to Local Body for recycling

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:**

Sr No	Category No.	Quantity UoM	Treatment	Disposal
1	5.1 Used or spent oil	50 Ltr/A	Reprocessing	To Authorized Reprocessor

- The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- Project Proponent shall comply the Construction and Demolition Waste Management Rules, 2016 which is notified by Ministry of Environment, Forest and Climate Change dtd.29/03/2016
- Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC/CRZ clearance and C to E.
- Project Proponent shall provide Organic waste digester with composting facility or Biogas digester with composting facility
- The online monitoring system installed for the parameters pH, Flow, BOD, TSS at the outlet of STP and shall be connected to MPCB Server.
- Project proponent shall not use groundwater till obtain permission from Central Ground Water Authority (CGWA)
- Project proponent shall make provision of charging port for Electric vehicles at least 40 % of total available parking
- Project proponent shall take adequate measure to control the dust emission and noise level during construction phase




Maharashtra Pollution Control Board

61a73b228e8c1f74d10af5c4

17. The applicant should comply with the conditions stipulated in Environmental Clearance Obtained vide NO SEAC-III-2014/C.R.100/TC-3 dtd. 26/08/2016 for residential project on total plot area of 14550.0 Aq Mtr and total construction BUA of 25816.0 Sq. Mtr.

For and on behalf of the
Maharashtra Pollution Control Board.


Dr. Y.B. Sontakke
Joint Director (WPC)

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	100000.00	MPCB-DR-7261	02/08/2021	NEFT

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune II
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A) As per your application, you have proposed to provide Sewage Treatment Plant (STP) with design capacity of 200 CMD based on MBBR
- B) The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	pH	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH4 N	5
6	N-total	10
7	Fecal Coliform	less than 100

- C) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) **The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	230.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

- 5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

- 1) As per your application, you have proposed to provide the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM
S-1	DG SET 200 KVA	Acoustic Enclosure	3.0	HSD	3 Ltr/Hr

- 2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm ³
-------------------------	---------------	------------------------

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) **Conditions for utilities like Kitchen, Eating Places, Canteens:-**
- The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
 - The toilet shall be provided with exhaust system connected to chimney through ducting.
 - The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
 - The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C20/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to Establish	Rs. 10 lakh	15 Days	Towards Compliance consent conditions	Up to Commissioning of the project	31.12.2024

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C20/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						



BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG Imposed Purpose of BG	Amount of BG Returned
		NA	

SCHEDULE-IV

Conditions during construction phase


A	During construction phase, applicant shall provide temporary sewage and MSW treatment and disposal facility for the staff and worker quarters.
B	During construction phase, the ambient air and noise quality shall be maintained and should be closely monitored through MoEF approved laboratory.
C	Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

General Conditions:

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011).
- 3 Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5 Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.


- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 6 Solid Waste - The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.

For and on behalf of the
Maharashtra Pollution Control Board.


Dr. Y.B. Sontakke
Joint Director (WPC) 30/11/2021



Maharashtra Pollution Control Board
61a73b228e8c1f74d10af5c4





MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24044532/4024068/4023516
Website: <http://mpcb.gov.in>
Email: jdwater@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

Infrastructure/RED/L.S.I

No:- Format1.0/JD (WPC)/UAN No.0000115782/CO -2108001566

Date: 24.08.2021

To,
M/S KUUNDAN MEHTA KENJALE JV
S.N.29/1,29/2,30/1,31/1,32/2,SUS GAON
Tal: Haveli Dist:Pune



Sub: Consent to Operate (part-I) for Construction of Housing Project Granted Under Red Category

- Ref:**
1. Consent to Establish granted vide no. Format1.0/BO/RO-HQ/CE/CC-8948 dtd. 12.07.2016.
 2. Environment Clearance granted vide no. SEAC-III-2014/C.R.100/TC-3 dtd. 26.08.2016.

Your application NO. MPCB-CONSENT-0000115782

For: grant of Consent to Operate (Part-I) under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

1. **The 1st Consent to Operate is granted for a period up to 30.06.2026**
2. **The capital investment of the project is Rs.40 Cr. (As per C.A Certificate submitted by industry).**
3. **The Consent to Operate (Part-I) is valid for Construction of Housing Project named as M/S KUUNDAN MEHTA KENJALE JV,S.N.29/1,29/2,30/1,31/1,32/2,SUS GAON, Pune on Total Plot Area of 14550 SqMtrs for construction BUA of 21508.34 SqMtrs out of Total Construction BUA of 25,816.00 SqMtrs as per EC granted dated 26.08.2016 including utilities and services & As per Architect certificate submitted by Project proponent.**
4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	NA	NA
2.	Domestic effluent	230	As per Schedule - I	60% should be reused & recycled and remaining should be discharged in municipal sewer



5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
S-1	DG SET 200 KVA	1	As per Schedule -II

6. **Conditions under Solid Waste Rules, 2016:**

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Wet garbage	368 Kg/Day	Organics waste Converter with composting facility / Biogas digester with composting facility	USED BY MANURE
2	Dry garbage	245 Kg/Day	-	Segregate and Hand over to Local Body for recycling
3	Sludge	50 Kg/Day	-	used as manure

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:**

Sr No	Category No.	Quantity	UoM	Treatment	Disposal
NA					

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. Project Proponent shall comply the Construction and Demolition Waste Management Rules, 2016 which is notified by Ministry of Environment, Forest and Climate Change dtd.29/03/2016
11. Project Proponent shall Operate and Maintain Organic waste digester with composting facility or Biogas digester with composting facility.
12. Project proponent shall not use groundwater till obtain permission from Central Ground Water Authority (CGWA)
13. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening.
14. The online monitoring system installed for the parameters pH, Flow, BOD, TSS at the outlet of STP and shall be connected to MPCB Server.
15. Project proponent shall make provision of charging port for Electric vehicles at least 10 % of total available parking



Maharashtra Pollution Control Board

61261b3e9b97a1462bf97531

16. Project proponent shall take adequate measure to control the dust emission and noise level during construction phase
17. The applicant should comply with the conditions stipulated in Environmental Clearance Obtained from SEAC-III, Environment Department, Government of Maharashtra, dtd. 26/08/2016

For and on behalf of the
Maharashtra Pollution Control Board.


Dr. Y.B. Sontakke
Joint Director (WPC)

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
Rs.75,000/- is utilized for part consent to operate from total consent fees of Rs.2.0 lakh balance with Board vide consent to establish granted no. Format 1.0/BO/RO HQ/CE/CC-8948 dt.12/07/2016, Now balance fees of Rs. 1,25,000/- with Board will be considered at the time of next renewal of consent				

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune II
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai





SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1) A) As per your application, you have provided MBBR based Sewage Treatment Plants (STPs) of combined capacity **230 CMD for treatment of domestic effluent of 230 CMD.**

B) The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	pH	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH4 N	5
6	N-total	10
7	Fecal Coliform	less than 100

C) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) **The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	230.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.



SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

- 1) As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) and to observe the following fuel pattern-

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM
S-1	DG SET 200 KVA	Acoustic Enclosure	2.83	HSD	3 Ltr/Hr

- 2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm ³
-------------------------	---------------	------------------------

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) **Conditions for utilities like Kitchen, Eating Places, Canteens:-**
- The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
 - The toilet shall be provided with exhaust system connected to chimney through ducting.
 - The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
 - The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C 20/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to Operate	Rs. 10 lakh	15 Days	Towards O and M of pollution control system and Compliance consent conditions	Continuous	31/08/2026

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.



BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				


SCHEDULE-IV

General Conditions:

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011).
- 3 Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5 Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.

- 6 Solid Waste - The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall make an application for renewal of the consent at least 60 days before date of the expiry of the consent.

For and on behalf of the
Maharashtra Pollution Control Board.


Dr. Y.B. Sontakke
Joint Director (WPC)



Maharashtra Pollution Control Board
61261b3e9b97a1462bf97531

Date: 23 May 2023

To,
M/s Kundan Mehta Kenjale Joint Venture
at 22, Parvati Gaon , Pune-411009

Sub: - Facilitating Solid Waste Management at your Commercial/Residential "FRESHIA"
situated, S.no, 29/1&2(P)/30/1(P)/32/1&2/A/1, 29/1&2(P)/30/1(P)/32/1&2/A/2, 29/1&2(P)/30/1
(P)/32/1&2/3, 29/1&2(P)/30/1(P)/32/1&2/A4, 29/1&2(P)/330/1(P)/32/1&2/A/5, Village : Sus,
Tal: Mulshi, Dist: Pune,

Dear Sir,

With reference to above subject we intend to facilitate the management of solid waste at your proposed project. SWaCH Seva Sahakari Sanstha Maryadit, Pune (SWaCH) is India's first wholly-owned cooperative of self-employed waste pickers or waste collectors and other urban poor. It is an autonomous enterprise that ensures provision of front-end waste management services to the citizens of Pune through self-employed informal waste-pickers.

We will facilitate the collection of segregated dry waste (recyclables & non-recyclables: **398Kg/Day**, **E Waste 2.72 Kg/Day**) from your registered project "FRESHIA" situated at S.no 29/1&2(P)/30/1(P)/32/1&2/A/1, 29/1&2(P)/30/1(P)/32/1&2/A/2, 29/1&2(P)/30/1(P)/32/1&2/3, 29/1&2(P)/30/1(P)/32/1&2/A4, 29/1&2(P)/330/1(P)/32/1&2/A/5, Village : Sus, Tal: Mulshi, Dist: Pune, Through waste-picker members of SWaCH after completion of project.

Further, you have also confirmed that you have acquired the necessary equipment and infrastructure (**OWC: 597 Kg/Day**) for management of wet waste at source. If necessary, we can assist in facilitating in-situ wet waste processing using existing infrastructure and equipment through waste-pickers within the premises of your registered project through such affiliates and subject to such terms and conditions as may be applicable. We ensure collection of E-waste from the site at a cost mutually decided all commercial terms must be negotiated with waste-pickers prior to commencement of work.

Assuring you the best of our services.

Thanking You,

For SWaCH Pune Seva Sahakari Sanstha Ltd

Authorized Signatory

Date: 23 May 2023



SWaCH Pune Seva Sahakari Sanstha Maryadit is an autonomous cooperative enterprise of waste pickers authorised by Pune Municipal Corporation to provide door-step waste collection service across entire pune city.

3rd Floor, Old Tilak Rd Ward Office, Above SBI Bank (Tilak Rd Branch), Pune-411042

(Reg No-PNA(1)GNL/O/1321/07-08)

Helpline - 9765 999 500, E mail: swachcoop@gmail.com, Website: www.swachcoop.com



ग्रामपंचायत सुसगाव

ता. मुळशी, जि. पुणे - ४११ ०२९



संदर्भ क्र. :

सांख्यिक क्रमादि २९.९४ उवाव कु. ह. (१२) सुसगाव
दिनांक : ०५ - १२ - २०१४



ग्रामपंचायत सुसगाव ता. मुळशी जि. पुणे
 आजकालील ताहकत दाखला देण्यात येतो
 कि असेल सुस गावची मंजूर २९११, २९१२
 ३०११ ३२ मध्ये मी कुटुंब संहता कोणते याचा
 निवाची प्रकल्प सांगितला आहे की मी पुणे
 याची दिवसिया लोडिंगस प्रवाण ठरि सुसगाव
 व सा. मंत्र्यांक उवाव कयला विभागा पुणे
 याची दिवसिया लोडिंगस मजुर कोळिया
 लकाशा सुसगाव पुणे साख्याव व सा. जि. लोडिंग
 काही मी पुणे याच्याकडील पुठलिया दाखला
 मादव कोळियाव व पुणे म. ज. पालिका पुठ
 पुठेवा प्रमाणात पाठि रुपम लय साख्याव
 शा. प. माफत मजुर प्रकल्पास पाठि पुठेवा
 कोसा जाईल लकीय सामाजिक व लोडिंग
 मादव सांख्यिक लोडिंग याची प्रवाण ठरि
 दिवसिया जाईल

मदव या वरची पुठेवा व वरवयानि कवाय या आहे

२/३
 ग्रामसेवा
 सरपंच
 ग्रामपंचायत सुसगाव
 ता. मुळशी, जि. पुणे

लिखे कार्यालय
मुख्यालय, गणपती चौक,
मुंबई - २. फोन नं. २४४५६६७६

Name of the Institution संस्थेचे नाव

ग्रामपंचायत कुला

PROCEEDING BOOK

१. सभेचा प्रकार Kind of Meeting	साप्ताहिक सभेचा	३. सभेची तारीख Date of Meeting	२६.०९.२०१६	५. सभेचे स्थळ Place of Meeting	ग्रामपंचायत कुला
२. सभेचा क्रमांक No. of Meeting	६	४. सभेची वेळ Time of Meeting	सांकाळी ७७ वा ११.५५		साप्ताहिक सभेचा

सभेसहकारिता असलेल्या गृहस्थ अगर अधिकारी हजर असल्यास त्यांची (हद्दासह) नावे Name & designations of officials & respectable persons present

सभेचे अध्यक्ष Chairman of Meeting श्री. सवित्रीबाई भावत यादव सावणूर

विषय नं. Subject No.	ठराव नं. Resolution No.	सभेपुढे विचाराकरिता आलेले विषय आणि ठराव Resolutions and subjects Placed before meeting for discussion
६.	६(१२)	साप्ताहिक सभेच्या विषयावर ठराव श्री. सावित्रीबाई भावत यादव यांचे दि. २०.०९.१६ सादर विषयः सवित्रीबाई २०१७ २०१८ २०१९ २०२० सभेचे बाबत पुढील ठराव सादर करण्यात आला विषयः सा. जि. व्हा. अधिकाऱ्यांक सा. पुणे शहरपालिका पुणे शहरात दाखल झालेल्या सादर करण्यात येव त पुणे शहरात साप्ताहिक सभेचा पुढील प्रशासनात बाबत उपसभेच्या सादर करण्यात येव ग्रामपंचायत सादर सवित्रीबाई भावत यांच्या बाबत पुढील ठराव सादर करण्यात येव दि. २०.९.१६ सादर झालेल्या ठराव सादर विषयः सा. जि. व्हा. अधिकाऱ्यांक सा. पुणे शहरपालिका पुणे शहरात दाखल झालेल्या सादर करण्यात येव त पुणे शहरात साप्ताहिक सभेचा पुढील प्रशासनात बाबत उपसभेच्या सादर करण्यात येव ग्रामपंचायत सादर सवित्रीबाई भावत यांच्या बाबत पुढील ठराव सादर करण्यात येव

२/३
ग्रामपंचायत सुस
ता. मुळशी, जि. पुणे



अधिकाक अभियंता कार्यालय
मलनि:सारण देखभाल दुरुस्ती विभाग
पुणे महानगरपालिका
जावक क्र : ८९८
दिनांक : २७/१/२०२३

मे.कुंदन मेहता केंजळे जॉईंट व्हेंचर तर्फे
भागीदार श्री मिलींद प्रभाकर केंजळ

यांजकडेस.....

विषय:स.नं. २९/१व२पै/३०/१पै/३२/१व२/अ/१, २९/१व२पै/३०/१पै/३२/१व२/अ/२, २९/१व२पै/३०/१पै/३२/१व२/अ/३, २९/१व२पै/३२/१व२/अ/४, २९/१व२पै/३०/१पै/३२/१व२/अ/५, सुस,
ता.मुळशी,पुणे या मिळकती मधील नियोजित बांधकामासाठी इनव्हायरमेंटल क्लियरन्ससाठी ड्रेनेज विभागाकडून प्रोव्हीजनल दाखला देणेकरीता प्रशासकीय मान्यता मिळणेबाबत.

संदर्भ :१) केंद्रीय पर्यावरण व वन मंत्रालय नवी दिल्ली यांचेकडील अधिसूचना दि.१४/०९/२००६.

२) मे.कुंदन मेहता केंजळे जॉईंट व्हेंचर तर्फे भागीदार श्री मिलींद प्रभाकर केंजळे यांचा खात्याकडील प्रस्ताव आ.क्र.१८७१ दि.१५/०६/२०२३ प्रस्ताव.

३) मा.अधिकाक अभियंता, मलनि:सारण देखभाल दुरुस्ती विभाग यांची प्रशासकीय मान्यता ठ.क्र.मलनि/EC/१५७/२०२३ दि.२७/०६/२०२३.

विषयांकित मिळकती साठी संदर्भ क्र.१ अन्वयेच्या अधिसूचनेनुसार मलनि:सारण देखभाल दुरुस्ती विभागाकडील इनव्हायरमेंटल क्लियरन्ससाठी प्रोव्हीजनल दाखला घेणे आवश्यक आहे. त्यानुसार विषयांकित मिळकतीकरीता इनव्हायरमेंटल क्लियरन्ससाठी ड्रेनेज विभागाकडून प्रोव्हीजनल दाखला मिळणेकरीता संदर्भ क्र.२ अन्वये मे.कुंदन मेहता केंजळे जॉईंट व्हेंचर तर्फे भागीदार श्री मिलींद प्रभाकर केंजळे यांनी प्रस्ताव दाखल केला असून प्रस्तावा सोबत सातबारा उतारा, प्रस्तावित बांधकाम नकाशे, मिळकत नाहरकत दाखला इत्यादी कागदपत्रे दाखल केलेली आहे. प्रस्तावाची छाननी केली असता त्यामध्ये खालील बाबी नमुद केलेल्या आहेत.

- | | | |
|----|--|---|
| १ | मिळकतीचे क्षेत्रफळ | - १४०५०.०० चौ.मी. |
| २ | बिल्टअप ऐरिया (एफ.एस्.आय + नॉन एफ.एस्.आय) | - ३०६६५.४९ चौ.मी. + २१६१२.५१ चौ.मी.
= ५२२७८.०० चौ.मी. |
| ३ | इमारतीची संख्या | - ३, इमारत ए उंची-३४.२० मी, इमारत बी उंची-४२.७५ मी, इमारत सी उंची-६५.५५ मी. |
| ४ | निवासी सदनिका संख्या | - ३९८.०० |
| ५ | व्यापारी गाळे संख्या | - ०.०० |
| ६ | मान्य नकाशा प्रत | - प्रस्तावित |
| ७ | जा.क्र.सी.सी/ / दि. | - नाही. |
| ८ | आवश्यक पाणी पुरवठा | - निवासी वापराकरीता २६९.०० KLD |
| ९ | तयार होणारे मैलापाणी | - निवासी वापराकरीता २४२.०० KLD |
| १० | सिवरेज टिंटमेंट प्लॅटची आवश्यक क्षमता | - निवासी वापराकरीता २४२.०० KLD |
| ११ | सिवरेज टिंटमेंट प्लॅटची प्रस्तावित क्षमता | - निवासी वापराकरीता २६०.०० KLD |
| १२ | एस.टी.पी डिझाईन ची ड्राईंग व अहवाल | - आहे. |
| १३ | मंजूर/प्रस्तावित नकाशात एस.टी.पी दर्शविलेला आहे का? असल्यास मोजमापे | - लायसन्स आर्किटेक्ट यांनी सादर केलेल्या प्रस्तावित नकाशात दर्शविला आहे. |
| १४ | पाण्याचा पुर्णवापर करण्याच्या उपाययोजना | - गार्डन, फ्लशिंग व इत्यादी |
| १५ | जागेवर एस.टी.पी. च्या अनुषंगाने सुरक्षेच्या दृष्टीने केलेल्या उपाय योजना | - नियोजित एस.टी.पी. चे सुरक्षिततेच्या दृष्टीकोणातून एस.टी.पी. चे क्षेत्र लगतच्या बांधकामापासून स्वतंत्र ठेवण्यासाठी आवश्यक भिंत/गेट इ.बांधकाम करणे विकसकावर बंधनकारक राहिल. |


मलनिःसारण विभागामार्फत खालील अटीस अधिन राहून नियोजित बांधकामासाठी ड्रेनेज विभागाचा अंतरिम पर्यावरण ना हरकत दाखला (प्रव्हिजनल NOC) देणेस हरकत नाही.

- १) विषयांकित मिळकती मधील इमारतीतील बेसमेंट चे कनेक्शन व एस.टी.पी चे कनेक्शन पुणे महानगरपालिकेच्या ड्रेनेज लाईन यास जोडू नये.
- २) एकुण बांधकाम क्षेत्र (FSI+NON FSI) ५२२७८.०० चौ.मी पर्यंत मर्यादीत ठेवावे तथापी अर्जदाराने सादर केलेल्या संकल्पनात्मक नकाशात कोणताही फेरबदल केल्यास अर्जदाराने सुधारीत अर्ज सादर करणे बंधनकारक राहिल.
- ३) नैसर्गिक निचरा व्यवस्थेमध्ये बदल करता येणार नाही. व पानथळ जागेत कोणतेही बांधकाम करता येणार नाही.
- ४) पाणी कार्यक्षम उपकरणांचा वापर करणे आवश्यक राहिल किमान एक रिचार्ज प्रति ५००० चौ.मी बांधकाम क्षेत्रासाठी नियोजित करणे आवश्यक राहिल. व पावसाच्या पाण्याचा रिचार्ज उथळ सखिद्र पर्यंतच मर्यादित ठेवावे लागेल पाणी रिचार्ज करणे शक्य नसल्यास पावसाच्या पाण्याची साठवण टाकी करावी लागेल तसेच भुजल उपसाकरीता सक्षम अधिकाऱ्याकडून परवानगी घ्यावी लागेल.
- ५) ओला व सुक्या कचऱ्या करीता सदर जागेत स्वतंत्र कंटेनर ची सोय करून सुका कचरा अधिकृत विक्रेत्याला द्यावा लागेल. विघटन होणाऱ्या ओला कचऱ्यासाठी गांडूळ खत प्रकल्प अर्जदार/विकसक/जमिन मालक यांनी स्वखर्चाने करावयाचा आहे.
- ६) Solid Waste (Management) rules 2016 e-waste (Management) rules 2016 & Plastic waste (Management) rules 2016 च्या तरतुदचे पालन करावे लागेल.
- ७) सार्वजनिक स्वच्छता व आरोग्य उपविधी २०१७ मधील सर्व अटी विकसकांवर बंधनकारक राहतील.
- ८) पर्यावरण विभाग व महाराष्ट्र पोल्युशन कन्ट्रोल बोर्ड यांचेकडील एस.टी.पी बाबत कन्सेंट टू ऑपरेट लेटर इ. प्राप्त करण्याची जबाबदारी इतर सर्व अटी विकसकांवर बंधनकारक राहतील.
- ९) निवासी+व्यापारी वापराकरीता २६०.०० KLD प्रति दिन क्षमतेचा सांडपाणी प्रक्रिया यंत्रणा (Sewage Treatment Plant) बसवावा लागेल व सांडपाणी यंत्रणेमधून निघणाऱ्या गाळाची विल्हेवाट Central Public Health And Environmental Engineering Organisation (C.P.H.B.E.O.) च्या नियमावली प्रमाणे करावी लागेल.
- १०) प्रक्रिया केलेल्या सांडपाण्याचा वापर फ्लशिंग आणि लॅन्डस्केपिंग साठी करावा लागेल तसेच अतिरिक्त सांडपाण्याची विल्हेवाट सेंट्रल पोल्युशन कन्ट्रोल बोर्ड (C.P.C.B) नियमावली प्रमाणे करावी लागेल.
- ११) Energy Conservation Building code (E.C.B.C.) च्या तरतुदीचे पालन करावे लागेल व सामान्य क्षेत्रामध्ये L.E.D दिवे लावावे लागतील.
- १२) सौर उर्जेवर पाणी तापविण्यासाठी ची यंत्रणा अर्जदार/विकसक/जमिनमालक यांनी इमारतीचे वापरापूर्वी स्वखर्चाने करावयाची आहे.
- १३) बांधकामातील वेस्टेजची व्यवस्था व विल्हेवाट लावण्यासाठी Construction and demolition Waste rules 2016 चे पालन करावे लागेल व जमीनीवरील मातीचा जास्तीत जास्त पुर्नवापर करावा लागेल.
- १४) पर्यावरण अनुकूल असलेले बांधकाम साहित्य वापरावे लागेल.
- १५) D.G Set चा exhaust pipe C.P.C.B च्या नियमावलीनुसार करावा लागेल.
- १६) विषयांकित मिळकतीच्या जमिनीच्या क्षेत्रफळानुसार पुणे महानगरपालिकेच्या मान्य धोरणानुसार आवश्यक झाडे/वृक्ष लागवड करणे व त्याची जोपसना करणे अर्जदार/विकसक/जमिनमालक यांचेवर ते बंधनकारक राहिल.
- १७) बांधकाम कामगारांकरीता पिण्याचे पाणी व स्वच्छता विषयक सुविधा देणे बंधनकारक राहिल.
- १८) पर्यावरणाच्या नियमावलीचे उल्लंघन केल्यास Environment (Protection) Act 1986 च्या कलमान्वये अर्जदार यांचेवर कायदेशीर कारवाई केली जाईल.
- १९) विषयांकित मिळकती मधील नियोजित इमारतीचे बांधकाम मंजूर नकाशा नुसार पुर्ण झाले नंतर संबधित क्षेत्रिय कार्यालयाकडे एस.टी.पी चा नाहरकत प्रमाणपत्रा करीता प्रस्ताव दाखल केल्यानंतर भविष्यात


म.न.पा.चे तत्कालीन धोरणानुसार व नियमानुसार योग्य ती पुर्तता केल्यानंतर एस.टी.पी साठी अंतिम नाहारकत दाखला मिळणेकामी स्वतंत्र पुणे महानगरपालिकेच्या संबधित क्षेत्रिय कार्यालयाकडे मंजूरी घेणे विकसाकावर बंधनकारक राहिल.

- २०) अर्जदार यांनी सादर केलेली कोणतीही माहिती अथवा कागदपत्रे हि चुकीची/दिशाभुल करणारी अढळल्यास प्रस्तुतची एनव्हायरमेंटल क्लियरन्सकरीता दिलेला प्रोव्हिजनल दाखला रद्द करण्यात येईल.
- २१) सदर मिळकतीचे मिळकत धारकाने अद्यावत मिळकतकर भरणे बंधनकारक आहे.


तरी स.नं.२९/१वरपै/३०/१पै/३२/१वर/अ/१,२९/१वरपै/३०/१पै/३२/१वर/अ/२,
२९/१वरपै/३०/१पै/३२/१वर/अ/३,२९/१वरपै/३२/१वर/अ/४,२९/१वरपै/३०/१पै/३२/१वर/अ/
५,सुस, ता.मुळशी,पुणे या मिळकती मधील नियोजित बांधकामासाठी वरील क्र.१ ते २१ या अटींवर
इनव्हायरमेंटल क्लियरन्सकरीत ड्रेनेज विभागाकडून प्रोव्हिजनल दाखला संबधित विकसकास देणे करीता आपली
प्रशासकीय मान्यता मिळणेस विनंती आहे.


27/06/23
कनिष्ठ अभियंता

मलनि:सारण देखभाल व दुरुस्ती
पुणे महानगरपालिका


27/06/2023
उप अभियंता

मलनि:सारण देखभाल व दुरुस्ती
पुणे महानगरपालिका


27.6
कार्यकारी अभियंता

मलनि:सारण देखभाल व दुरुस्ती
पुणे महानगरपालिका